



































Bewegungs-/ Präsenzmelder pirios		10.7.1		2016 Akkord				Material			
				P 1.59 139.60	K 1.21 100.80	WS 1.00 107.--	Zeit Min.	Verkauf 1.1.16	Eink 1.1.16	Lieferant Einh.-Nr.	
<b>i</b> Einregulierung IBS											
<b>UP -/ NUP-Bewegungsmelder pirios 130°/ 180°</b>											
Feller Rab 27% 14.50											
	UP -Bewegungsmelder pirios 180° 12m + 2x 8m	180 R Master • 535 260	30 45 48	337.70 369.20 296.95	236.70 256.25 211.95	218.-- 239.-- 192.--	54 64 39	P K	194.35 147.90	122.23	535 261 000
	Universaldimmer soft Ein Aus Ausschaltvorwarnung Grundbel	DIM Master • 535 270 420W	30 45 48	367.90 399.35 327.10	259.65 279.20 234.90	237.-- 258.-- 211.--	54 64 39	P K	224.50 170.85	141.21	535 308 000
		SLA Slave • 535 261	30 45 48	289.35 320.80 248.55	202.55 222.10 177.80	187.-- 208.-- 161.--	48 58 33	P K	163.-- 124.05	102.52	535 271 000
	12- 48VDC Imp	UNI Master • 535 262	30 45 48	377.40 408.85 336.60	265.30 284.85 240.55	243.-- 264.-- 217.--	57 67 43	P K	224.50 170.85	141.21	535 281 000
	NUP-Bewegungsmelder pirios 130° 10m + 2x 8m Mh 2.5m	130 R Master • 535 259	30 40 45 48	375.85 376.15 407.30 335.10	265.60 265.80 285.15 240.80	242.-- 242.-- 263.-- 216.--	54 54 64 40	P K	231.40 176.10	145.52	535 241 400
	180° 10m + 2x 8m	180 R Master • 535 263	30 45 48	404.90 436.35 364.10	287.65 307.20 262.90	260.-- 281.-- 234.--	54 64 40	P K	260.40 198.15	163.77	535 266 000
		SLA Slave • 535 264	30 45 48	357.65 389.15 316.90	254.40 273.95 229.65	230.-- 251.-- 204.--	48 58 34	P K	230.20 175.20	144.79	535 276 000
<b>UP -/ NUP-Bewegungsmelder pirios 360°</b>											
Feller Rab 27% 14.50											
	UP -Bewegungsmelder pirios 360° Ø 14m Mh 2.5m	360 R Master • 535 240	40 48	354.15 313.05	249.20 224.20	229.-- 202.--	54 39	P K	210.35 160.05	132.29	535 233 000
	Universaldimmer soft Ein Aus Ausschaltvorwarnung Grundbel	DIM Master • 535 250 420W	40 48	368.05 327.--	259.80 234.80	237.-- 211.--	54 39	P K	224.25 170.65	141.05	535 239 000
		SLA Slave • 535 241	40 48	299.95 258.90	210.65 185.65	194.-- 167.--	48 33	P K	173.20 131.80	108.93	535 234 000
	12- 48VDC Imp	UNI Master • 535 265	40 48	401.95 360.85	283.95 259.--	259.-- 232.--	57 43	P K	248.65 189.20	156.38	535 235 000
	AP -Gehäuse pirios 360	535 242	10 20	28.-- 35.70	19.60 24.20	18.-- 23.--	4 7	P K	17.10 13.05	10.77	535 295 000
	NUP-Bewegungsmelder pirios 360° Ø 14m Mh 2.5m	360 R Master • 535 266	40 48	421.40 380.35	300.25 275.25	271.-- 244.--	54 40	P K	276.50 210.40	173.90	535 212 000
		SLA Slave • 535 267	40 48	371.90 330.80	265.20 240.25	239.-- 213.--	48 34	P K	244.-- 185.70	153.46	535 214 000
<b>UP -/ NUP-Präsenzmelder pirios 360°</b>											
Feller Rab 27% 14.50											
	UP -Präsenzmelder pirios 360° Ø 8m Mh 2.5m Imp	360P 2R Master • 535 280	40 48	434.60 393.55	303.75 278.75	280.-- 253.--	69 55	P K	248.65 189.20	156.38	535 237 000
		SLA Slave • 535 281	40 48	325.50 284.45	230.05 205.10	210.-- 183.--	48 33	P K	198.75 151.25	124.99	535 236 000
	NUP	2R Master • 535 282	40 48	500.70 459.65	353.90 328.95	322.-- 295.--	70 55	P K	313.65 238.70	197.26	535 217 000
		SLA Slave • 535 283	40 48	391.60 350.55	280.25 255.25	252.-- 225.--	48 34	P K	263.75 200.70	165.87	535 216 000

Bewegungsmelder BEG Luxomat		10.7.2		2016 Akkord				Material			
				P 1.59 139.60	K 1.21 100.80	WS 1.00 107.--	Zeit Min.	Verkauf 1.1.16	Eink 1.1.16	Lieferant Einh.-Nr.	
<b>i</b> Einregulierung IBS											
<b>AP -Bewegungsmelder BEG Luxomat</b>											
Swisslux Rab 10% 38.42											
	AP -Bewegungsmelder 180° 10m	Indoor 180 Kombi	• 535 800	10	262.55	187.65	170.--	35	<b>P</b> 170.--	106.92	535 940 065
				20	270.25	192.25	175.--	38	<b>K</b> 129.35		
		Minuterie	• 535 801	10	245.55	177.35	158.--	29	<b>P</b> 170.--	106.92	535 941 065
				20	253.20	182.--	164.--	32	<b>K</b> 129.35		
<b>NAP-Bewegungsmelder BEG Luxomat</b>											
Swisslux Rab 10% 38.42											
	NAP-Bewegungsmelder 180° 10m	Indoor 180 Kombi	• 535 969	10	356.85	253.40	230.--	49	<b>P</b> 227.--	142.78	535 940 087
				20	368.85	260.65	238.--	53	<b>K</b> 172.75		
	200° 12m Mh 2.5m	LC 200	• 535 970	10	196.35	136.90	128.--	36	<b>P</b> 102.--	64.15	535 944 205
				20	208.35	144.15	136.--	40	<b>K</b> 77.60		
	130° 21m	RC-plus 130 next	• 535 940	10	235.55	166.70	153.--	36	<b>P</b> 141.15	88.78	535 940 005
				20	247.55	173.95	161.--	40	<b>K</b> 107.40		
	230°	230	• 535 941	10	276.75	198.05	179.--	36	<b>P</b> 182.35	114.70	535 940 105
				20	288.75	205.30	186.--	40	<b>K</b> 138.80		
	280° Eckmontage	280	• 535 942	10	326.20	235.70	210.--	36	<b>P</b> 231.80	145.80	535 940 205
				20	338.20	242.95	218.--	40	<b>K</b> 176.40		
	360° Ø 8m Mh 2.5m	PD3 S 360	• 535 943	10	243.75	172.95	158.--	36	<b>P</b> 149.40	93.96	535 943 065
				20	255.75	180.20	166.--	40	<b>K</b> 113.70		
	Ø 24m	PD4 S 360	• 535 961	10	271.60	194.15	175.--	36	<b>P</b> 177.20	111.46	535 969 068
				20	283.60	201.40	183.--	40	<b>K</b> 134.85		
<b>UP -/ EB -Bewegungsmelder BEG Luxomat</b>											
Swisslux Rab 10% 38.42											
	UP -Bewegungsmelder 180° 10m	Indoor 180 Kombi	• 535 962	30	306.55	214.30	198.--	51	<b>P</b> 171.55	107.90	535 940 025
				45	338.--	233.85	219.--	61	<b>K</b> 130.55		
				48	265.75	189.55	172.--	36			
		2L	• 535 992	30	341.05	243.25	220.--	44	<b>P</b> 223.10	140.30	535 940 225
				45	372.50	262.80	240.--	54	<b>K</b> 169.75		
				48	300.25	218.45	193.--	30			
		Minuterie	• 535 971	30	289.50	204.05	187.--	44	<b>P</b> 171.55	107.90	535 941 025
				45	321.--	223.60	208.--	54	<b>K</b> 130.55		
				48	248.75	179.25	161.--	30			
	360° Ø 8m Mh 2.5m	PD3 S 360	• 535 960	40	267.25	185.75	174.--	48	<b>P</b> 140.50	88.37	535 949 028
				48	226.20	160.80	147.--	33	<b>K</b> 106.95		
	Ø 24m	PD4 S 360	• 535 972	40	295.10	206.95	191.--	48	<b>P</b> 168.35	105.87	535 969 028
				48	254.05	181.95	164.--	33	<b>K</b> 128.10		
	EB Ø 10m	PD9 S 360 LC	• 535 974	48	229.95	164.70	149.--	31	<b>P</b> 149.40	93.96	535 989 348
									<b>K</b> 113.70		
<b>NUP-Bewegungsmelder BEG Luxomat</b>											
Swisslux Rab 10% 38.42											
	NUP-Bewegungsmelder 180° 10m	Indoor 180 Kombi	• 535 975	30	336.50	237.--	217.--	51	<b>P</b> 200.40	126.04	535 940 077
				45	367.95	256.50	238.--	61	<b>K</b> 152.50		
				48	295.75	212.20	191.--	37			

Präsenzmelder BEG Luxomat		10.7.3		2016 Akkord				Material				
				P 1.59 139.60	K 1.21 100.80	WS 1.00 107.--	Zeit Min.	Verkauf 1.1.16	Eink 1.1.16	Lieferant Einh.-Nr.		
<b>i</b> Einregulierung IBS												
AP -Präsenzmelder BEG Luxomat												
Swisslux Rab 10% 38.42												
	AP -Präsenzmelder 360° Ø 8m Mh 2.5m	PD2 360 Master 1C	• 535 976	10	273.--	194.25	176.--	38	P	172.05	108.22	535 930 015
				20	280.70	198.90	182.--	41	K	130.95		
		Slave	• 535 945	10	224.75	161.--	143.--	23	P	161.75	101.74	535 930 105
				20	232.40	165.65	148.--	26	K	123.10		
UP -/ EB -Präsenzmelder BEG Luxomat												
Swisslux Rab 10% 38.42												
	UP -Präsenzmelder 180° 10m	PD2 S 180 Master 1C	• 535 959	30	320.10	223.30	207.--	54	P	176.70	111.14	535 932 125
				45	351.55	242.85	227.--	64	K	134.50		
				48	279.30	198.50	181.--	39				
		Slave	• 535 964	30	271.80	190.05	173.--	39	P	166.40	104.66	535 933 025
				45	303.25	209.60	194.--	49	K	126.65		
				48	231.--	165.25	147.--	24				
	360° Ø 8m Mh 2.5m	360	• 535 977	40	306.95	213.30	199.--	54	P	163.20	102.63	535 939 128
				48	265.90	188.30	172.--	39	K	124.20		
		Slave	• 535 947	40	258.70	180.05	165.--	39	P	152.90	96.15	535 933 028
				48	217.65	155.10	138.--	24	K	116.35		
	Ø 24m	MAX	• 535 978	40	339.95	238.35	220.--	54	P	196.15	123.36	535 931 115
				48	298.85	213.40	193.--	39	K	149.25		
		Slave	• 535 984	40	289.60	203.55	185.--	39	P	183.80	115.59	535 931 205
				48	248.55	178.60	158.--	24	K	139.85		
	EB -Präsenzmelder 360° Ø 10m Mh 2.5m	PD9 S 360 Master 1C	• 535 985	48	290.25	207.90	187.--	37	P	192.70	121.18	535 979 148
									K	146.65		
		Slave	• 535 987	48	221.40	159.--	141.--	22	P	161.75	101.74	535 973 048
									K	123.10		
		Pico 360 Master 1C	• 535 880	53	345.20	243.70	222.--	51	P	210.20	132.19	535 931 305
				54	364.45	255.30	235.--	58	K	159.95		
	MP Präsenzmelder 2-Kanal Licht + HLK		535 990	100	20.60	15.70			P	20.60	12.96	
Zubehör Bewegungs-/ Präsenzmelder BEG Luxomat												
Swisslux Rab 10% 38.42												
	AP -Montagesockel	PD4/ PD2 MAX	535 966	10	30.45	21.45	19.--	4	P	19.55	12.31	535 939 000
				20	38.15	26.10	24.--	7	K	14.90		
	NAP-Montagesockel Innen-/ Ausseneckmontage	RC-plus next	535 950	100	13.40	10.20			P	13.40	8.42	535 998 245
		PD2 AP	535 951	100	25.75	19.60			P	25.75	16.20	535 985 900
	Schutzgitter PD	BSK-PD	535 952	10	65.45	44.45	42.--	12	P	31.95	20.09	535 998 275
				20	82.20	54.55	53.--	18	K	24.30		
	Fernbedienung m Wandhalterung alle Funktionen	IR-RC	535 953	10	41.80	30.05	27.--	4	P	30.90	19.44	535 949 005
				20	49.50	34.70	32.--	7	K	23.50		
	Ein/ Aus/ Aut	IR-PD mini	535 955	100	22.65	17.25			P	22.65	14.26	535 949 035

