






















Art-Nr												
VA												
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												

Art-Nr	109460	109461	109470	109471	109472	109473	109476	109305		109380	● 109390	109391
	 Fundamenterder o Anschlusspunkte p/m	 isolierte Bodenplatte	 Anschliesspunkt ab Fundamenterder -5m	-10m	-15m	-20m	 Verlängerung Anschliesspunkt isol. Fassade	 Nachtr. Anschliesp. best Bauwerk o zuputzen		 Ringerdung Cu-Seil 50 p/m o Grabarbeiten	 Tiefenerder -3m o Ringerder p/Stk	 MP Mehrlänge p/m
<b>VA</b>	00	00	00	00	00	00	00	00		00	00	00
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												

Art-Nr	● 109410	● 109411		● 109420	● 109421		109430	109431	109432	109433	109434	
	 Erdungs-PA-Ltg 6-16 m PA-Schiene - 5m			 Erdungs-PA-Ltg 6-16 m Anschluss - 5m			 Erdungs-PA-Ltg 6-16 Trasse/Kanäle/Rohre -10m					
<b>VA</b>	00	00		00	00		00	00	00	00	00	
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												

Art-Nr	● 109415	● 109416		● 109425	● 109426		109440	109441	109442	109443	109444	
	 Erdungs-PA-Ltg 25-50 m PA-Schiene - 5m			 Erdungs-PA-Ltg 25-50 m Anschluss - 5m			 Erdungs-PA-Ltg 25-50 Trasse/Kanäle/Rohre -10m					
VA	00	00		00	00		00	00	00	00	00	
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												

Art-Nr	● 109303	● 109301	● 109302	● 109308	● 109341	● 109342	● 109300	● 109347	109346	109356	109348	109358
	 PA-Verbindung ab Anschluss- punkt	 Überbrückung 2 Rohre	 p/weit Rohr	 Wasseruhr	 Trasse/Kanäle	 Monoblock Lüftung	 PA Lift ab Anschluss- punkt Liftschacht	 Stahlkonstruktion ab Fundament- Erder	 PA-Ltg Cu rund in Doppelboden Ø 6 p/m	 Ø 8	 an Trasse Ø 6 p/m	 Ø 8
<b>VA</b>	00	00	00	00	00	00	00	00	00	00	00	00
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												

Art-Nr	● 109309	● 109351	● 109352		● 109361	● 109319	● 109362	● 109385	● 109386	● 109387	● 109388	● 109389
	 Anschliesspunkt Blitzschutz	 Trennstelle AP	 UP		 Ableitung p/m ab Trennstelle Ø 6 AP	Ø 6 Hohlwand	 UP Ø 8 UP	 Ableitung p/m vorfab- rizierte Betonstütze ab Fundamenterder	 Flachdachdurch- führung ab Ableiter -5m	-10m	-15m	-20m
VA	00	00	00		00	00	00	00	00	00	00	00
1												
2												
3												
4												
5												
6												
7												
8												
9												
10												
11												
12												
13												
14												
15												
16												
17												
18												
19												
20												
21												
22												
23												
24												
25												
26												
27												
28												
29												
30												